

I'm not a robot





































Codes K35 Acute appendicitis K36 Other appendicitis K37 Unspecified appendicitis K38 Other diseases of appendix ICD-10-CM Diagnosis Codes K35-\* K35 Acute appendicitis K35.2 Acute appendicitis with generalized peritonit... K35.20 Acute appendicitis with generalized peritonit... K35.201 Acute appendicitis with generalized peritonit... K35.209 Acute appendicitis with generalized peritonit... K35.21 Acute appendicitis with generalized peritonit... K35.210 Acute appendicitis with generalized peritonit... K35.211 Acute appendicitis with generalized peritonit... K35.219 Acute appendicitis with generalized peritonit... K35.3 Acute appendicitis with localized peritonitis... K35.30 Acute appendicitis with localized peritonitis... K35.31 Acute appendicitis with localized peritonitis... K35.32 Acute appendicitis with perforation, localize... K35.33 Acute appendicitis with perforation, localize... K35.8 Other and unspecified acute appendicitis K35.80 Unspecified acute appendicitis K35.89 Other acute appendicitis K35.890 Other acute appendicitis without perforation ... K35.891 Other acute appendicitis without perforation..... ICD-10-CM Diagnosis Codes K36-\* ICD-10-CM Diagnosis Codes K37-\* K37 Unspecified appendicitis ICD-10-CM Diagnosis Codes K38-\* K38 Other diseases of appendix K38.0 Hyperplasia of appendix K38.1 Appendicular concretions K38.2 Diverticulum of appendix K38.3 Fistula of appendix K38.8 Other specified diseases of appendix K38.9 Disease of appendix, unspecified 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code D12.1 is a billable/specific ICD-10-CM code that can be used to indicate a diagnosis for reimbursement purposes. The 2025 edition of ICD-10-CM D12.1 became effective on October 1, 2024. This is the American ICD-10-CM version of D12.1 - other international versions of ICD-10 D12.1 may differ. Type 1 ExcludesType 1 Excludes HelpA type 1 excludes note is a pure excludes. It means "not coded here". A type 1 excludes note indicates that the code excluded should never be used at the same time as D12.1. A type 1 excludes note is for used for when two conditions cannot occur together, such as a congenital form versus an acquired form of the same condition.benign carcinoid tumor of the appendix (ICD-10-CM Diagnosis Code D3A.020)Benign carcinoid tumor of the appendix2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Billable/Specific Code D3A.020) The following code(s) above D12.1 contain annotation back-referencesAnnotation Back-ReferencesIn this context, annotation back-references refer to codes that contain:Applicable To annotations, orCode Also annotations, orCode First annotations, orExcludes1 annotations, orExcludes2 annotations, orIncludes annotations, orNote annotations, orUse Additional annotations that may be applicable to D12.1: C00-D49 2025 ICD-10-CM Range C00-D49NeoplasmsNoteFunctional activityAll neoplasms are classified in this chapter, whether they are functionally active or not. An additional code from Chapter 4 may be used, to identify functional activity associated with any neoplasm.Morphology (Histology)Chapter 2 classifies neoplasms primarily by site (topography), with broad groupings for behavior, malignant, in situ, benign, etc. The Table of Neoplasms should be used to identify the correct topography code. In a few cases, such as for malignant melanoma and certain neuroendocrine tumors, the morphology (histologic type) is included in the category and codes.Primary malignant neoplasms overlapping site boundariesA primary malignant neoplasm that overlaps two or more contiguous (next to each other) sites should be classified to the subcategory/code .8 ('overlapping lesion'), unless the combination is specifically indexed elsewhere. For multiple neoplasms of the same site that are not contiguous, such as tumors in different quadrants of the same breast, codes for each site should be assigned.Malignant neoplasm of ectopic tissueMalignant neoplasms of ectopic tissue are to be coded to the site mentioned, e.g., ectopic pancreatic malignant neoplasms are coded to pancreas, unspecified (C25.9). NeoplasmsD12 ICD-10-CM Diagnosis Code D122016 2017 2018 2019 2020 2021 2022 2023 2024 2025 Non-Billable/Non-Specific Code Type 2 Excludesbenign carcinoid tumors of the large intestine and rectum (D3A.02-)polyp of colon NOS (K63.5) Benign neoplasm of colon, rectum, anus and anal canal Approximate Synonyms Benign neoplasm, appendix Clinical Information A non-metastasizing neoplasm arising from the appendix. ICD-10-CM D12.1 is grouped within Diagnostic Related Group(s) (MS-DRG v42.0): 393 Other digestive system diagnoses with mcc 394 Other digestive system diagnoses with cc 395 Other digestive system diagnoses without cc/mcc Convert D12.1 to ICD-9-CM Code History 2016 (effective 10/1/2015): New code (first year of non-draft ICD-10-CM) 2017 (effective 10/1/2016): No change 2018 (effective 10/1/2017): No change 2019 (effective 10/1/2018): No change 2020 (effective 10/1/2019): No change 2021 (effective 10/1/2020): No change 2022 (effective 10/1/2021): No change 2023 (effective 10/1/2022): No change 2024 (effective 10/1/2023): No change 2025 (effective 10/1/2024): No change ICD-10-CM Codes Adjacent To D12.1 D10.5 Benign neoplasm of other parts of oropharynx D10.6 Benign neoplasm of nasopharynx D10.7 Benign neoplasm of hypopharynx D10.9 Benign neoplasm of pharynx, unspecified D11 Benign neoplasm of major salivary glands D11.0 Benign neoplasm of parotid gland D11.7 Benign neoplasm of other major salivary glands D11.9 Benign neoplasm of major salivary gland, unspecified D12 Benign neoplasm of colon, rectum, anus and anal canal D12.0 Benign neoplasm of cecum D12.1 Benign neoplasm of appendix D12.2 Benign neoplasm of ascending colon D12.3 Benign neoplasm of transverse colon D12.4 Benign neoplasm of descending colon D12.5 Benign neoplasm of sigmoid colon D12.6 Benign neoplasm of colon, unspecified D12.7 Benign neoplasm of rectosigmoid junction D12.8 Benign neoplasm of rectum D12.9 Benign neoplasm of anus and anal canal D13 Benign neoplasm of other and ill-defined parts of digestive system D13.0 Benign neoplasm of esophagus Reimbursement claims with a date of service on or after October 1, 2015 require the use of ICD-10-CM codes. You are here: Home > ICD-10-CM > C00-D49 > D10-D36 > D12 Get crucial instructions for accurate ICD-10-CM D12.1 coding with all applicable Excludes 1 and Excludes 2 notes from the section level conveniently shown with each code. This section shows you chapter-specific coding guidelines to increase your understanding and correct usage of the target ICD-10-CM Volume 1 code. The appendiceal orifice is described in endoscopy literature as having a "crow's foot" appearance and is located at the junction of the three taenia coli, at the pole of the cecum [3]. Furthermore, it is, along with the ileocecal valve, the most reliable landmark for establishing cecal intubation [4]. What is the ICD-10 code for polyp of the appendiceal orifice? D12. 1 is a billable/specific ICD-10-CM code that can be used to indicate a diagnosis for reimbursement purposes. The 2022 edition of ICD-10-CM D12. Can you have a polyp in your appendix? Purpose: Introduction: Adenomatous polyps of appendix are very rare and difficult to diagnose. The patient may present with vague abdominal pain, hemoccult positive stool or appendicitis. We present a case of large villous adenoma, that was arising from, and hiding within the appendiceal lumen. How common is a polyp in appendix? Benign polyps of the vermiform appendix are rare and usually discovered incidentally during surgery or at autopsy. A gross abnormality of the appendix is recognized in 5% of these cases . The reported incidence of benign appendiceal polyps from various autopsy series ranges from 0.004% to 0.08% . What is Appendicolith without appendicitis? Background. Appendicolith is a conglomeration of firm feces with some mineral deposits. It is usually found accidentally in abdominal computed tomography (CT) without any signs of appendicitis. What does a healthy appendiceal orifice look like? Normal appearing appendiceal orifice. The appendiceal orifice appears as a slit-like opening in the blind end of the cecum. What is an appendiceal? Appendiceal: Relating to the appendix. As, for example, an appendiceal abscess. Perforation of the appendix can lead to a periappendiceal abscess or diffuse peritonitis (infection of the entire lining of the abdomen and the pelvis). The ICD-10 code range for Diseases of appendix K35-K38 is medical classification list by the World Health Organization (WHO). ICD-10 Code range (K35-K38), Diseases of appendix contains ICD-10 codes for Other diseases of appendix, Hyperplasia of appendix, Appendicular concretions, Diverticulum of appendix, Fistula of appendix, Other specified diseases of appendix, Disease of appendix, unspecified K35-K38 Diseases of appendix D12. 1 - Benign neoplasm of appendix The above description is abbreviated. This code description may also have Includes, Excludes, Notes, Guidelines, Examples and other information. Access to this feature is available in the following products:Find-A-Code EssentialsFind-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteHCC Standard/ProThe above description is abbreviated. This code description may also have Includes, Excludes, Notes, Guidelines, Examples and other information. Additional Code Information includes: APC Status Indicator Assistant Surgeon (80, 82) Bilateral Surgery (50) CCS Clinical Classification Co-Surgeons (62) Diagnostic Imaging Family Facility MUEs Global Days Hierarchical Condition Categories (HCC) Major Complications or Comorbidities (MCC/CC) Medicare Status Code Multiple Procedures (51) Non-Facility MUEs OTS Orthotic PC/TC Indicator (26) Physician Supervisions Team Surgery (66) Type Of Service (TOS) and more... Access to this feature is available in the following products:Find-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteHCC Standard/Pro View historical information about the code including when it was added, changed, deleted, etc. Access to this feature is available in the following products:Find-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteHCC Standard/Pro Subscribers may add their own notes as well as "Admin Notes" visible to all subscribers in their account. Access to this feature is available in the following products:Find-A-Code EssentialsFind-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteHCC Standard/Pro Subscribers may add their own notes as well as "Admin Notes" visible to all subscribers in their account. Subscribers will see related documentation, coding and billing tips. Access to this feature is available in the following products:Find-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteHCC Standard/Pro View the general equivalency mappings (GEMs) between the ICD-9 and ICD-10 code sets. Access to this feature is available in the following products:Find-A-Code Professional/Premium/EliteFind-A-Code Facility Base/Plus/CompleteASA CROSSWALK® +Base Units demo request yours today subscribe start today newsletter free subscription Thank you for choosing Find-A-Code, please Sign In to remove ads.