

Click to prove
you're human



Honeywell thermostats are popular for their reliability, energy efficiency, and ease of use. However, there are times when you may need to reset your thermostat, whether its due to a system error, connection issue, or simply reconfiguring your settings. This guide covers how to reset different types of Honeywell thermostats, including programmable, non-programmable, Wi-Fi, and smart models. There are several reasons why you may need to reset your thermostat: Fixing malfunctions If your thermostat is not responding or is displaying incorrect temperatures Wi-Fi connection issues For smart thermostats that wont connect to Wi-Fi Factory reset before selling or moving Clears all custom settings Reconfiguring schedule and settings If you want to start fresh with a new program Models Covered: Honeywell 1000, 2000 series Steps: Turn off the thermostat by switching it to the Off position. Remove the thermostat from the wall plate. Remove the batteries from the back. Insert the batteries in reverse polarity (negative to positive to negative). Wait 10 seconds and put the batteries back in the correct way. Reattach the thermostat to the wall and turn it back on. Result: The thermostat will reset to factory settings. Models Covered: Honeywell 4000, 6000, 7000 series Steps: Press and hold the Set button until the screen changes. Locate the Reset option using the arrow buttons. Select Reset and confirm. The thermostat will restart and return to factory settings. Result: All custom schedules and settings will be erased. Models Covered: Honeywell 8000 series, RTH6500WF, RTH9585WF, VisionPRO 8000 Press Menu on the thermostat screen. Scroll to Preferences and select it. Find Restore Factory Defaults and select it. Confirm the reset when prompted. Result: The thermostat will restart and require reconfiguration, including reconnecting to Wi-Fi. Press Menu, then go to Wi-Fi Setup. Select Reset Wi-Fi or Reconnect Wi-Fi. Follow the on-screen instructions to set up a new connection. Models Covered: T5, T6, T9, T10, Lyric Round Press Menu and go to Reset. Select Factory Reset and confirm. The thermostat will restart and clear all settings. Result: You will need to reconfigure schedules and Wi-Fi settings. Press Menu, then go to Wi-Fi. Select Change Network or Reset Wi-Fi. Follow the instructions on the Honeywell Home app to reconnect. After resetting your thermostat, you may encounter some issues: 1. Thermostat is not turning on Ensure the thermostat is correctly reattached to the wall plate. Check if the batteries are inserted properly (for battery-powered models). First, choose your thermostat from the menu below. Then follow the directions for the type of reset you need. Try a different reset if the one you tried does not fix the issue. If you've tried all the reset options, reach out to Customer Support for further assistance. Call SupportChat with a specialistChoose your thermostat: Have a device that isn't listed here? Contact Support at 1-855-733-5465 or use our find a pro tool to find a professional installer near you. T9 (RCHT9510WF, RCHT9610WF) PERFORMING A FACTORY RESET Press the Menu icon Scroll down to Advanced Setup and select it Select Reset Select Factory Reset PERFORMING A WIFI RESET Press the Menu icon Scroll down to WiFi and select it Select Change Network Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu icon Scroll down to Advanced Setup and select it Select Reset Select Schedule Reset PERFORMING A HOMEKIT RESET Press the Menu icon Scroll down to Advanced Setup and select it Select Reset Select HomeKit Reset T10 (THX321WF) PERFORMING A FACTORY RESET Press the Menu icon Scroll down to Thermostat Information Record the Date Code Press the back arrow, then scroll down to Installer Options Enter the Date Code when prompted to Enter your password Select Reset Select Factory Reset PERFORMING A WIFI RESET Press the Menu icon Scroll down to WiFi and select it Select Change Network Select the new WiFi network and enter the password PERFORMING A SCHEDULE RESET Press the Menu icon Scroll down to Thermostat Information Record the Date Code Press the back arrow, then scroll down to Installer Options Enter the Date Code when prompted to Enter your password Select Reset Select HomeKit T5+/T5/T6 (RCHT8610WF, RCHT8612WF, TH6320WF2, TH6220WF2) PERFORMING A FACTORY RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see Factory Reset, and then select it Congratulations! Youve reset your device! You can now configure your device for its new settings, either using the Resideo App, or on the thermostat screen itself. PERFORMING A WIFI RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see WiFi, and then select it Congratulations! Youve reset your device! PERFORMING A SCHEDULE RESET Press and hold Menu Press [Symbol] until you see Reset, and then select it Press [Symbol] until you see Schedule, and then select it Congratulations! Youve reset your device! PERFORMING A HOMEKIT RESET Press and hold Menu Press > until you see Reset, and then select it Press > until you see HomeKit Reset, and then select it Congratulations! Youve reset your device! Smart Lyric Round (TH8732WFH) PERFORMING A FACTORY RESET Press and hold the Cloud Icon Press i until you see Reset, and then select it Congratulations! Youve reset your device! You can now configure your device for its new settings via the + icon, or Add new device button on your Resideo App. You can also configure your thermostat screen itself using the Installation Guide. PERFORMING A WIFI RESET Press and hold the Cloud Icon Press i until you see WiFi, and then select it Press i until you reach Setup, and then select it. Congratulations! Youve reset your device! PERFORM A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! Youve reset your device! PERFORMING A HOMEKIT RESET Press and hold the Cloud Icon Press i until you see HomeKit Reset, and then select it Congratulations! Youve reset your device! Smart WiFi 9000 (RTH9580WF, RTH9585WF, TH9320WF) PERFORMING A FACTORY RESET Press Menu, and then select Preferences Press Restore Factory Defaults Select Yes Congratulations! Youve reset your device! PERFORMING A WIFI Setup Congratulations! Youve reset your device! PERFORMING A SCHEDULE RESET Press Menu Press Preferences Press Restore Default Schedule Congratulations! Youve reset your device! FocusPro 6000 (TH6320WF1, RTH6580WF) PERFORM FACTORY RESET Press and hold Fan Change the number on the left to 90, and the number on the right to 1 Press Done Congratulations! Youve reset your device! You can now configure your device for its new settings on the thermostat screen. PERFORM A WIFI RESET Press and hold and Fan Change the number on the left to 39, and the number on the right to 0 Press Done Congratulations! Youve reset your device! PERFORM A SCHEDULE RESET Press and hold Fan Change the number on the left to 85, and the number on the right to 1 Press Done Congratulations! Youve reset your device! VisionPRO 8000 (TH8320WF, RTH8580WF) PERFORM FACTORY RESET Press System Press and hold the blank box in the center Change the number on the left to 0710, and the number on the right to 1 Press Done Congratulations! Youve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WIFI RESET Press System Press and hold the blank box in the center Change the number on the left to 0900, and the number on the right to 0 Press Done Congratulations! Youve reset your device! PERFORM A SCHEDULE RESET Press System Press and hold the blank box in the center Change the number on the left to 0165, and the number on the right to 1 Press Done Congratulations! Youve reset your device! VisionPRO TH8321WF PERFORM FACTORY RESET Press Menu Go to Dealer Information Scroll to the bottom and write down the date code Press Done Scroll down to Installer Options Enter the date code. Select Reset to Defaults. Select Yes Congratulations! Youve reset your device! You can now configure your device for its new settings via the thermostat screen. PERFORM A WIFI RESET Press Menu Press i until you see WiFi Setup Select WiFi Setup Congratulations! Youve reset your device! PERFORM A SCHEDULE RESET Press Menu Press i until you see Preferences, and then select it Press i until you see Default Schedule, and then select it Congratulations! Youve reset your device! Camera (C1, C2) PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! Youve reset your device! You can now configure your device for its new settings via the + icon, or Add new device button on your Resideo App. PERFORM A WIFI RESET Press and hold the reset button for 45 seconds Congratulations! Youve reset your device! Water Leak Detector PERFORM FACTORY RESET Press and hold the reset button for 45 seconds Congratulations! Youve reset your device! You can now configure your device for its new settings via the + icon, or Add new device button on your Resideo App. PERFORM A WIFI RESET Press and hold the reset button for 45 seconds Congratulations! Youve reset your device! Smart Home Security PERFORM FACTORY RESET Press and hold the action button for 30 seconds When prompted, press the action button once again Congratulations! Youve reset your device! Troubleshoot Additional Thermostat IssuesCheck Your Thermostat Wiring Capability Was this article helpful? Yes No Thanks for your feedback! Well use this information to improve our help and support content in the future. If you receive error messages after a reset, try performing a factory reset instead of a soft reset. In some cases, you may be unable to access the reset button on the back of the thermostat. The Honeywell Thermostat Vision Pro 8000 is a popular and advanced thermostat that offers a wide range of features and customization options. However, like any electronic device, it can sometimes encounter issues that require a reset. In this blog post, we will provide a step-by-step guide on how to reset the Honeywell Thermostat Vision Pro 8000.Why Reset Your Thermostat?There are several reasons why you might need to reset your Honeywell Thermostat Vision Pro 8000: Troubleshooting errors: If your thermostat is displaying an error message or malfunctioning, a reset can help resolve the issue. Changing settings: Resetting the thermostat will restore it to its factory default settings, which can be useful if you want to start over with your customization. Selling or moving: If you are selling your home or moving, it is recommended to reset the thermostat to remove any personal settings. Factory Reset vs. Soft Reset: There are two types of resets available for the Honeywell Thermostat Vision Pro 8000: factory reset and soft reset. Factory reset: This will erase all settings and data from the thermostat, including schedules, programs, and Wi-Fi connections. Soft reset: This will restart the thermostat without erasing any settings or data. Step-by-Step Factory Reset Materials: Small screwdriver or paperclip Instructions: 1. Locate the reset button: On the back of the thermostat, there is a small reset button recessed into a hole. 2. Insert the screwdriver or paperclip: Use the screwdriver or paperclip to gently press and hold the reset button. 3. Hold for 10 seconds: Continue holding the button for 10 seconds until the display turns off and then back on. 4. Release the button: Once the thermostat restarts, release the reset button. 5. Confirm the reset: The thermostat will display System Reset Complete. Step-by-Step Soft Reset Materials: Instructions: 1. Navigate to the settings menu: Press the Menu button on the thermostat and scroll down to Settings. 2. Select Reset: Scroll down to Reset and press the Select button. 3. Choose Soft Reset: Select Soft Reset and press the Select button. 4. Confirm the reset: The thermostat will display Soft Reset Complete. Troubleshooting After Reset: After performing a reset, you may encounter some issues. Here are some troubleshooting tips: Blank screen: If the screen remains blank after a reset, check the power supply and wiring. Error messages: If you receive error messages after a reset, try performing a factory reset instead of a soft reset. Wi-Fi connectivity: If you lose Wi-Fi connectivity after a reset, re-enter your Wi-Fi credentials in the thermostat settings. Tips for Avoiding Reset Issues: To avoid the need for frequent resets, consider the following tips: Regular maintenance: Clean the thermostat regularly to prevent dust and debris buildup. Proper wiring: Ensure that the thermostat is properly wired and connected to your HVAC system. Firmware updates: Check for and install any available firmware updates for the thermostat. Alternative Reset Methods: In some cases, you may be unable to access the reset button on the back of the thermostat. Here are some alternative reset methods: Circuit breaker: Turn off the circuit breaker that powers the thermostat for 30 seconds and then turn it back on. Remove the batteries: If your thermostat is battery-powered, remove the batteries for 30 seconds and then reinsert them. FAQs: 1. What is the difference between a factory reset and a soft reset? A factory reset erases all settings and data, while a soft reset restarts the thermostat without erasing any settings. 2. How do I know if my thermostat needs to be reset? If your thermostat is displaying an error message, malfunctioning, or you want to change the settings, a reset may be necessary. 3. Can I reset my thermostat if I dont have the reset button? Yes, you can use alternative reset methods such as turning off the circuit breaker or removing the batteries. 4. Will a reset affect my Wi-Fi connection? A factory reset will erase your Wi-Fi credentials, so you will need to re-enter them after the reset. 5. How often should I reset my thermostat? Resetting your thermostat is not necessary on a regular basis. However, if you encounter issues or want to change the settings, a reset can be helpful. Was this page helpful? Yes No Thanks for your feedback! If your thermostat has a password protection enabled, youll need to enter the password before resetting it. Regular maintenance and proper usage can extend the lifespan of your thermostat and provide you with a comfortable and energy-efficient home environment. If youre facing issues with your Honeywell Thermostat Vision Pro 8000, resetting it can often resolve the problem. Heres a comprehensive guide on how to reset your thermostat effectively. Why Reset Your Thermostat? Resetting your thermostat can address various issues, including: Inaccurate temperature readings Unresponsive buttons or display Programming errors System malfunctions 2. Can I reset my thermostat without losing my settings? Yes, performing a soft reset will not erase your settings. 3. What should I do after resetting my thermostat? Restore time and date Reprogram if necessary Was this page helpful? Yes No Thanks for your feedback! If your thermostat has a hardware malfunction, such as a faulty sensor or a damaged circuit board, a reset wont fix the problem. In rare cases, a software glitch might require a firmware update or a factory reset, which can be more complex than a simple reset. If the problem is caused by an external factor, like a power outage or a faulty wiring connection, a reset wont address the root cause. Are you experiencing issues with your Honeywell VisionPro 8000 thermostat? Whether its displaying an error code, freezing, or simply not responding, a reset can often solve the problem. This guide will walk you through the steps on how to reset your Honeywell VisionPro 8000 thermostat, bringing it back to life and restoring your comfort. Understanding the Need for a Reset A reset is a troubleshooting step that can address various issues with your Honeywell VisionPro 8000 thermostat. It essentially clears the thermostats memory and forces it to reboot, resolving minor glitches and software errors. Here are some common scenarios where resetting your thermostat might be helpful: Error Codes: If your thermostat is displaying an error code, a reset can often clear the issue. Freezing or Unresponsiveness: If your thermostat has frozen or become unresponsive, a reset can help bring it back to life. Incorrect Temperature Readings: If your thermostat is displaying inaccurate temperature readings, a reset can sometimes resolve the problem. Connectivity Issues: If your thermostat is having trouble connecting to your Wi-Fi network, a reset might help re-establish the connection. Methods to Reset Your Honeywell VisionPro 8000 Thermostat There are two primary methods for resetting your Honeywell VisionPro 8000 thermostat: 1. Resetting via the Thermostats Menu This method is the most straightforward and involves navigating through the thermostats menu. 1. Access the Settings Menu: Press the Menu button on your thermostat. 2. Navigate to System Settings: Use the arrow keys to navigate to the System Settings option. 3. Select Reset: Choose the Reset option from the System Settings menu. 4. Confirm the Reset: Youll be prompted to confirm the reset. Select Yes to proceed. 5. Wait for the Reset: The thermostat will reboot and reset. This process may take a few minutes. 2. Resetting Using the Backup Battery This method is useful if your thermostat is completely unresponsive or the menu method doesnt work. 1. Locate the Backup Battery: The backup battery is typically located on the back of the thermostat. 2. Remove the Battery: Carefully remove the backup battery from the thermostat. 3. Wait Several Minutes: Leave the battery out for at least 5 minutes to allow the thermostat to completely reset. 4. Reinstall the Battery: Reinsert the backup battery into the thermostat. After resetting your Honeywell VisionPro 8000 thermostat, its essential to check if the issue has been resolved. Verify Functionality: Ensure the thermostat is responding correctly, displaying the correct temperature, and functioning as expected. Re-establish Connections: If you were experiencing connectivity issues, try reconnecting your thermostat to your Wi-Fi network. Check for Error Codes: If the issue persists, check for any error codes that might provide further clues. When a Reset Might Not Be Enough While resetting your Honeywell VisionPro 8000 thermostat can resolve many issues, there are instances where a reset might not be the solution. Hardware Malfunctions: If your thermostat has a hardware malfunction, such as a faulty sensor or a damaged circuit board, a reset wont fix the problem. Software Issues: In rare cases, a software glitch might require a firmware update or a factory reset, which can be more complex than a simple reset. External Factors: If the problem is caused by an external factor, like a power outage or a faulty wiring connection, a reset wont address the root cause. If resetting your thermostat doesnt solve the problem, consider these additional troubleshooting tips: Check the Power Supply: Ensure the thermostat is receiving power. Check the circuit breaker and the wiring connections. Verify the Wiring: Inspect the wiring connections between the thermostat and the HVAC system. Loose or faulty wiring can cause issues. Check the HVAC System: Make sure your HVAC system is functioning correctly. A problem with the furnace or air conditioner could be affecting the thermostat. Contact Honeywell Support: If youve tried all the troubleshooting steps and the issue persists, contact Honeywell customer support for assistance. Maintaining Your Honeywell VisionPro 8000 Thermostat Regular maintenance can help prevent thermostat issues and ensure optimal performance. Clean the Thermostat: Dust and debris can accumulate on the thermostat, affecting its functionality. Clean it regularly with a soft cloth and mild cleaner. Check the Battery: Replace the backup battery every few years to ensure reliable operation. Update the Firmware: Keep your thermostats firmware up to date to benefit from security patches and performance improvements. By following these steps, you can effectively reset your Honeywell VisionPro 8000 thermostat and address common issues. Remember, a reset is a valuable troubleshooting tool that can often restore your thermostat to its proper functionality. If youre still experiencing problems, dont hesitate to consult the user manual or contact Honeywell support for further assistance. Common Questions and Answers Q: What if my Honeywell VisionPro 8000 thermostat is still not working after a reset? A: If a reset doesnt resolve the issue, consider the following: Check the HVAC System: Make sure the furnace or air conditioner is functioning correctly. Inspect the Wiring: Verify that all wiring connections are secure and free of damage. Contact Honeywell Support: Reach out to Honeywell for assistance if youre unable to identify and resolve the problem. Q: How often should I reset my Honeywell VisionPro 8000 thermostat? A: Regularly resetting your thermostat isnt necessary. Only reset it when youre experiencing issues or if youre troubleshooting a problem. Q: Can I reset my Honeywell VisionPro 8000 thermostat without losing my settings? A: No, resetting the thermostat will erase all your settings, including Wi-Fi information, temperature schedules, and preferences. Youll need to reconfigure these settings after the reset. Q: What is the difference between a reset and a factory reset? A: A reset clears the thermostats memory and forces it to reboot. A factory reset returns the thermostat to its original factory settings, deleting all user data and preferences. Q: Can I reset my Honeywell VisionPro 8000 thermostat remotely? A: Yes, if you have a connected thermostat, you can reset it remotely through the Honeywell app. However, the exact steps may vary depending on your thermostat model and app version.

How to program honeywell thermostat vision pro 8000. How to reset honeywell th8110u1003 vision pro 8000 digital thermostat. Reset honeywell 8000 series thermostat. Reset honeywell vision pro 8000. How to reset honeywell visionpro 8000 thermostat. Reset honeywell 8000. How to factory reset honeywell vision pro 8000. Reset honeywell 8000 thermostat.